

DT 01-AUG-1992 (rel. 23, Created)
DT 01-AUG-1992 (rel. 23, Last sequence update)
DT 01-NOV-1997 (rel. 35, Last annotation update)
DE METALLOTHIONEIN A (MTA) (FRAGMENT).
OS Colinus virginianus (Bobwhite quail) (Common bobwhite).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae;
OC Odontophoridae; Colinus.
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=LIVER;
RX MEDLINE=93247066; PubMed=8483164;
RA Shatzker K.L., Kage K., Sobleski R.J., Andrews G.K.;
RT Evolution of avian metallothionein: DNA sequence analyses of the
RT turkey metallothionein gene and metallothionein cDNAs from pheasant
RT and quail.";
RT J. Mol. Evol. 36:255-262(1993).
CC -1- FUNCTION: METALLOTHIONEIN HAVE A HIGH CONTENT OF CYSTEINE
CC RESIDUES THAT BIND VARIOUS HEAVY METALS.
CC -1- DOMAIN: CLASS I METALLOTHIONEINS CONTAIN 2 METAL-BINDING DOMAINS:
CC FOUR DIVALENT IONS ARE CHELATED WITHIN CLUSTER A OF THE ALPHA
CC DOMAIN AND ARE COORDINATED VIA CYSTEINYL THIOLATE BRIDGES TO 11
CC CYSTEINE LIGANDS. CLUSTER B, THE CORRESPONDING REGION WITHIN THE
CC BETA DOMAIN, CAN LIGATE THREE DIVALENT IONS TO 9 CYSTEINES.
CC -1- SIMILARITY: BELONGS TO FAMILY 1 IN METALLOTHIONEIN SUPERFAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: X62511; CAA44370.1; -.
DR PIR: S18173; S18173.
DR PIR: S33378; S33378.
DR PIR: S33380; S33380.
DR PIR: S33382; S33382.
DR HSSP: P04355; 2MRT.
DR INTERPRO: IPR000006; -.
DR INTERPRO: IPR003019; -.
DR PFAM: PF00131; metalthio.1.
DR PROSITE: PS00203; METALLOTHIONEIN_VRT; PARTIAL.
KW Metal-binding; Metal-thiolate cluster; Chelation.
FT NON_TER 1 16
FT DOMAIN 17 >43 BETA.
FT METAL 2 2 ALPHA.
FT METAL 6 6 CLUSTER B.
FT METAL 8 8 CLUSTER B.
FT METAL 11 11 CLUSTER B.
FT METAL 13 13 CLUSTER B.
FT METAL 16 16 CLUSTER B.
FT METAL 20 20 CLUSTER B.
FT METAL 21 21 CLUSTER A.
FT METAL 23 23 CLUSTER A.
FT METAL 24 24 CLUSTER A.
FT METAL 28 28 CLUSTER A.
FT METAL 31 31 CLUSTER A.
FT METAL 35 35 CLUSTER A.
FT METAL 37 37 CLUSTER A.
FT NON_TER 43 43
SQ SEQUENCE 43 AA; 4401 MW; 1612EB5265EB875 CRC64;

Query Match 88.0%; Score 66; DB 1; Length 43;
Best Local Similarity 19.2%; Pred. No. 21;
Matches 5; Conservative 21; Mismatches 0; Indels 0; Gaps 0;

OY 1 CXXCXXCXXCXXCXXCXXCXXCXXCXX 26
DB 13 CRSCRCSCSCCPAGCNCACGCVCK 38

RESULT 3
ID MTB_COLVI STANDARD; PRT; 43 AA.
AC P27087;
DT 01-AUG-1992 (rel. 23, Created)
DT 01-AUG-1992 (rel. 23, Last sequence update)
DT 01-NOV-1997 (rel. 35, Last annotation update)
DE METALLOTHIONEIN B (MTB) (FRAGMENT).
OS Colinus virginianus (Bobwhite quail) (Common bobwhite).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae;
OC Odontophoridae; Colinus.
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=LIVER;
RX MEDLINE=93247066; PubMed=8483164;
RA Shatzker K.L., Kage K., Sobleski R.J., Andrews G.K.;
RT Evolution of avian metallothionein: DNA sequence analyses of the
RT turkey metallothionein gene and metallothionein cDNAs from pheasant
RT and quail.";
RT J. Mol. Evol. 36:255-262(1993).
CC -1- FUNCTION: METALLOTHIONEIN HAVE A HIGH CONTENT OF CYSTEINE
CC RESIDUES THAT BIND VARIOUS HEAVY METALS.
CC -1- DOMAIN: CLASS I METALLOTHIONEINS CONTAIN 2 METAL-BINDING DOMAINS:
CC FOUR DIVALENT IONS ARE CHELATED WITHIN CLUSTER A OF THE ALPHA
CC DOMAIN AND ARE COORDINATED VIA CYSTEINYL THIOLATE BRIDGES TO 11
CC CYSTEINE LIGANDS. CLUSTER B, THE CORRESPONDING REGION WITHIN THE
CC BETA DOMAIN, CAN LIGATE THREE DIVALENT IONS TO 9 CYSTEINES.
CC -1- SIMILARITY: BELONGS TO FAMILY 1 IN METALLOTHIONEIN SUPERFAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: X62512; CAA44371.1; -.
DR PIR: S18174; S18174.
DR PIR: S33379; S33379.
DR HSSP: P04355; 2MRT.
DR INTERPRO: IPR000006; -.
DR INTERPRO: IPR003019; -.
DR PFAM: PF00131; metalthio.1.
DR PROSITE: PS00203; METALLOTHIONEIN_VRT; PARTIAL.
KW Metal-binding; Metal-thiolate cluster; Chelation.
FT NON_TER 1 16
FT DOMAIN 17 >43 BETA.
FT METAL 2 2 ALPHA.
FT METAL 6 6 CLUSTER B.
FT METAL 8 8 CLUSTER B.
FT METAL 11 11 CLUSTER B.
FT METAL 13 13 CLUSTER B.
FT METAL 16 16 CLUSTER B.
FT METAL 20 20 CLUSTER B.
FT METAL 21 21 CLUSTER A.
FT METAL 23 23 CLUSTER A.
FT METAL 24 24 CLUSTER A.
FT METAL 28 28 CLUSTER A.
FT METAL 31 31 CLUSTER A.
FT METAL 35 35 CLUSTER A.
FT METAL 37 37 CLUSTER A.
FT NON_TER 43 43
SQ SEQUENCE 43 AA; 4429 MW; 1612EB40EE6EB875 CRC64;

Query Match 88.0%; Score 66; DB 1; Length 43;
Best Local Similarity 19.2%; Pred. No. 21;
Matches 5; Conservative 21; Mismatches 0; Indels 0; Gaps 0;

QY 1 CXXCXXCXXXXXXXXXXCXXCXX 26
 ID M87F_DROME STANDARD; PRT; 56 AA.
 AC P08175; O9VF06;
 DT 01-AUG-1988 (Rel. 08, Created)
 DT 01-AUG-1988 (Rel. 08, Last sequence update)
 DT 01-OCT-2000 (Rel. 40, Last annotation update)
 DE MALE SPECIFIC SPERM PROTEIN M87F.
 GN MST(3)GL-9 OR MST87F.
 OS Drosophila melanogaster (Fruit fly).
 OC Eukaryota; Metazoa; Arthropoda; Tracheata; Hexapoda; Insecta;
 OC Pterygota; Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Phyllozoa; Drosophilidae; Drosophila.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN-CANTON-S;
 RX MEDLINE=88211557; PubMed=2835228;
 RA Kuhn R., Schaefer U., Schaefer M.,
 RT "Cis-acting regions sufficient for spermatocyte-specific
 RT transcriptional and spermatid-specific translational control of the
 RT Drosophila melanogaster gene mst(3)gl-9.";
 RL EMBO J. 7:447-454(1988).
 [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN-BERKELEY;
 RX MEDLINE=20196006; PubMed=10731132;
 RA Adams M.D., Cejniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
 RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
 RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
 RA Branton R.C., Rogers Y.-H.C., Blazer R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Milos G.L.G.,
 RA Abrell J.F., Agbayani A., An H.-J., Andrews-Pfankoch C., Baldwin D.,
 RA Ballaw R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brotlier P.,
 RA Burris K.C., Busam D.A., Butler H., Cadieu L.E., Center A., Chandra I.,
 RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferrieria S., Fleischmann W.,
 RA Fostler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Kelchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Munz D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacch J.M.,
 RA Palazolo M., Pittman G.S., Pan S., Pollard J., Pui V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spletter E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirskas R., Tector A.C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wasmann D.A., Weinstein G.M., Weissbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.,
 RT "The genome sequence of Drosophila melanogaster.";
 RL Science 287:2185-2195(2000).
 CC -1- TISSUE SPECIFICITY: TESTIS.
 CC -1- DEVELOPMENTAL STAGE: PRIMARY SPERMATOCYTES.
 CC -1- DOMAIN: THIS PROTEIN IS MOSTLY COMPOSED OF REPTITIVE C-G-P

CC MOTIFS.
 CC -1- SIMILARITY: BELONGS TO THE MST(3)CGP FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; Y00831; CA68761.1; -
 CC EMBL; AE003702; AAF54994.1; -
 CC PIR; S00340; WTFP.
 CC HSP; P01180; INPO.
 CC DR FLYBASE: FBgn0002862; Mst87F.
 CC Spermatoogenesis; Repeat; Multigene family.
 CC SQ SEQUENCE 56 AA; 5233 MW; 830CD13212C34A47 CRC64;
 CC -----
 CC Query Match 88.0%; Score 66; DB 1; Length 56;
 CC Best Local Similarity 19.2%; Pred. No. 25;
 CC Matches 5; Conservative 21; Mismatches 0; Indels 0; Gaps 0;
 CC -----
 CC QY 1 CXXCXXCXXXXXXXXXXCXXCXX 26
 ID M87F_DROME STANDARD; PRT; 60 AA.
 AC P52727;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE METALLOTHIONEIN A (MT A).
 GN MTA.
 OS Sparus aurata (Gilthead sea bream).
 OC Eukaryota; Metazoa; Chordata; Craniata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Acanthomorpha; Acanthopterygii; Perciformes; Percoidae;
 OC Sparidae; Sparus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE-LIVER;
 RA Kille P., Olsson P.E.;
 RL Submitted (Apr-1996) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC TISSUE-LIVER;
 RA Tom M.;
 RL Submitted (Aug-1996) to the EMBL/GenBank/DBJ databases.
 RN [3]
 RP SEQUENCE FROM N.A.
 RC TISSUE-LIVER;
 RA Cousinou M., Lopez-Barea J., Dorado G.;
 RL Submitted (Apr-1997) to the EMBL/GenBank/DBJ databases.
 CC -1- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE
 CC -1- DOMAIN: CLASS I METALLOTHIONEINS CONTAIN 2 METAL-BINDING DOMAINS:
 CC FOUR DIVALENT IONS ARE CHELATED WITHIN CLUSTER A OF THE ALPHA
 CC DOMAIN AND ARE COORDINATED VIA CYSTEINYL THIOLENE BRIDGES TO 11
 CC CYSTEINE LIGANDS. CLUSTER B, THE CORRESPONDING REGION WITHIN THE
 CC BETA DOMAIN, CAN LIGATE THREE DIVALENT IONS TO 9 CYSTEINES.
 CC -1- SIMILARITY: BELONGS TO FAMILY 1 IN METALLOTHIONEIN SUPERFAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>

```
CC Or send an email to license@isb-sib.ch).
CC -----
CC EMBL: X97276; CAA65931.1; -.
CC DR EMBL: US8774; AAC32738.1; -.
CC DR EMBL: U93206; AAB51590.1; -.
CC DR HSSP: P18055; IMRB.
CC DR INTERPRO: IPR000006; -.
CC DR INTERPRO: IPR003019; -.
CC DR PFAM: PF00131; metalchio.1.
CC DR PRINTS: PR00860; MVTERTERRATE.
CC DR PROSITE: PS00203; METALLOTHIONEIN.VRT; 1.
CC KM Metal-binding: Metal-thiolate cluster; Chelation.
CC FT DOMAIN 1 28 BETA.
CC FT METAL 29 60 ALPHA.
CC FT METAL 4 4 CLUSTER B.
CC FT METAL 6 6 CLUSTER B.
CC FT METAL 12 12 CLUSTER B.
CC FT METAL 14 14 CLUSTER B.
CC FT METAL 18 18 CLUSTER B.
CC FT METAL 20 20 CLUSTER B.
CC FT METAL 23 23 CLUSTER B.
CC FT METAL 25 25 CLUSTER B.
CC FT METAL 28 28 CLUSTER B.
CC FT METAL 32 32 CLUSTER A.
CC FT METAL 33 33 CLUSTER A.
CC FT METAL 35 35 CLUSTER A.
CC FT METAL 36 36 CLUSTER A.
CC FT METAL 40 40 CLUSTER A.
CC FT METAL 43 43 CLUSTER A.
CC FT METAL 47 47 CLUSTER A.
CC FT METAL 49 49 CLUSTER A.
CC FT METAL 54 54 CLUSTER A.
CC FT METAL 58 58 CLUSTER A.
CC FT METAL 59 59 CLUSTER A.
CC SQ SEQUENCE 60 AA; 5966 MW; 6A66F79D02EC591B CRC64;

Query Match 88.0%; Score 66; DB 1; Length 60;
Best Local Similarity 19.2%; Pred. No. 26;
Matches 5; Conservative 21; Mismatches 0; Indels 0; Gaps 0;

OY 1 CXXCXXXXXKXXXXXXXXXXXXX 26
DB 25 CTCKKSCCPCGCKCAGCVCVK 50

RESULT 6
MTA_THECR
ID MTA_THECR STANDARD; PRT; 60 AA.
AC P52721;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE METALLOTHIONEIN A (MT-A).
GN MTA.
OS Thermarces cerberus.
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Perciformes; Zoarcoidei;
OC Zoarcidae; Thermares.
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=LIVER:
RA Kille P., Olsson P.E.;
RA Submitted (Apr-1996) to the EMBL/Genbank/DBJ databases.
CC -i- FUNCTION: METALLOTHIONEIN HAS A HIGH CONTENT OF CYSTEINE
CC RESIDUES THAT BIND VARIOUS HEAVY METALS (BY SIMILARITY).
CC -i- DOMAIN: CLASS I METALLOTHIONEIN CONTAIN 2 METAL-BINDING DOMAINS;
CC FOUR DIVALENT IONS ARE CHELATED WITHIN CLUSTER A OF THE ALPHA
CC DOMAIN AND ARE COORDINATED VIA CYSTEINYL THIOLATE BRIDGES TO 11
CC CYSTEINE LIGANDS. CLUSTER B, THE CORRESPONDING REGION WITHIN THE
CC BETA DOMAIN, CAN LIGATE THREE DIVALENT IONS TO 9 CYSTEINES.
CC -i- SIMILARITY: BELONGS TO FAMILY I IN METALLOTHIONEIN SUPERFAMILY.
```

```
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: X97277; CAA65932.1; -.
CC DR HSSP: P18055; IMRB.
CC DR INTERPRO: IPR000006; -.
CC DR INTERPRO: IPR003019; -.
CC DR PFAM: PF00131; metalchio.1.
CC DR PRINTS: PR00860; MVTERTERRATE.
CC DR PROSITE: PS00203; METALLOTHIONEIN.VRT; 1.
CC KM Metal-binding: Metal-thiolate cluster; Chelation.
CC FT DOMAIN 1 28 BETA.
CC FT METAL 29 60 ALPHA.
CC FT METAL 4 4 CLUSTER B.
CC FT METAL 6 6 CLUSTER B.
CC FT METAL 12 12 CLUSTER B.
CC FT METAL 14 14 CLUSTER B.
CC FT METAL 18 18 CLUSTER B.
CC FT METAL 20 20 CLUSTER B.
CC FT METAL 23 23 CLUSTER B.
CC FT METAL 25 25 CLUSTER B.
CC FT METAL 28 28 CLUSTER B.
CC FT METAL 32 32 CLUSTER A.
CC FT METAL 33 33 CLUSTER A.
CC FT METAL 35 35 CLUSTER A.
CC FT METAL 36 36 CLUSTER A.
CC FT METAL 40 40 CLUSTER A.
CC FT METAL 43 43 CLUSTER A.
CC FT METAL 47 47 CLUSTER A.
CC FT METAL 49 49 CLUSTER A.
CC FT METAL 54 54 CLUSTER A.
CC FT METAL 58 58 CLUSTER A.
CC FT METAL 59 59 CLUSTER A.
CC SQ SEQUENCE 60 AA; 6119 MW; F5CD50FBD1AF8821 CRC64;

Query Match 88.0%; Score 66; DB 1; Length 60;
Best Local Similarity 19.2%; Pred. No. 26;
Matches 5; Conservative 21; Mismatches 0; Indels 0; Gaps 0;

OY 1 CXXCXXXXXKXXXXXXXXXXXXX 26
DB 25 CTCKKSCCPCGCKCAGCVCVK 50

RESULT 7
MTB_ONCMY
ID MTB_ONCMY STANDARD; PRT; 60 AA.
AC P09562;
DT 01-MAR-1989 (Rel. 10, Created)
DT 01-MAR-1989 (Rel. 10, Last sequence update)
DT 15-JUL-1998 (Rel. 36, Last annotation update)
DE METALLOTHIONEIN B (MT-B).
GN MTB.
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri), and
OS Salvelinus alpinus (Arctic char).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
RN [1]
RP SEQUENCE FROM N.A.
RC SPECIES=O. MYKISS;
RC MEDLINE=88111026; PubMed=2448099;
RA Bonham K., Zafarullah M., Gedamu L.;
RA "The rainbow trout metallothioneins: molecular cloning and
RA characterization of two distinct cDNA sequences.";
RA DNA 6:519-528(1987).
```

RN RP SEQUENCE FROM N.A.
 RC SPECIES=O. MYKISS;
 RX MEDLINE=89039876; PubMed=3185557;
 RA Zafarullah M., Bonham K., Gedamu L.;
 RT "Structure of the rainbow trout metallothionein B gene and
 RL characterization of its metal-responsive region.";
 RN Mol. Cell. Biol. 8:4469-4476(1988).
 [3]
 RN RP SEQUENCE FROM N.A.
 RC SPECIES=O. MYKISS; TISSUE=LIVER;
 RX MEDLINE=91316146; PubMed=1859844;
 RA Kille P., Stephens P.E., Kay J.;
 RT "Elucidation of cDNA sequences for metallothioneins from rainbow
 RL trout, stone loach and pike liver using the polymerase chain
 RT reaction.";
 RN Blochim. Biophys. Acta 1089:407-410(1991).
 [4]
 RN RP SEQUENCE FROM N.A.
 RC SPECIES=S. ALPINUS; TISSUE=LIVER;
 RA Geipe M., Kling P., Olsson P.E.;
 RT "Metallothionein cDNA sequences and gene expression in arctic char
 RL (Salvelinus alpinus) following metal and PCB exposure.";
 CC Mar. Environ. Res. 46:551-554(1998).
 CC -I- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE
 CC RESIDUES THAT BIND VARIOUS HEAVY METALS (BY SIMILARITY).
 CC -I- DOMAIN: CLASS I METALLOTHIONEINS CONTAIN 2 METAL-BINDING DOMAINS:
 CC FOUR DIVALENT IONS ARE CHELATED WITHIN CLUSTER A OF THE ALPHA
 CC DOMAIN AND ARE COORDINATED VIA CYSTEINYL THIOLATE BRIDGES TO 11
 CC CYSTEINE LIGANDS. CLUSTER B, THE CORRESPONDING REGION WITHIN THE
 CC BETA DOMAIN, CAN LIGATE THREE DIVALENT IONS TO 9 CYSTEINES.
 CC -I- SIMILARITY: BELONGS TO FAMILY 1 IN METALLOTHIONEIN SUPERFAMILY.
 CC -----
 CC CC This SWISS-PROT entry is copyrighted. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; M18104; AAA49566.1; -;
 DR EMBL; M22487; AAA49567.1; -;
 DR EMBL; X59394; CAA42037.1; -;
 DR EMBL; AF013801; AAB6343.1; -;
 DR PIR; A30818; A30818;
 DR PIR; B27490; B27490.
 DR PIR; S16997; S16997.
 DR PIR; S15509; S15509.
 DR HSSP; P04355; ZMRT.
 DR INTERPRO; IPR000006; -;
 DR INTERPRO; IPR003019; -;
 DR PFAM; PF00131; metalthio.1.
 DR PRINTS; PRO0860; MTVERPERATE.
 DR PROSITE; PS00203; METALLOTHIONEIN_VRT; 1.
 KR Metal-binding; Metal-thiolate cluster; Chelation.
 KW DOMAIN
 FT DOMAIN 1 28
 FT METAL 29 60 ALPHA.
 FT METAL 4 4 CLUSTER B.
 FT METAL 6 6 CLUSTER B.
 FT METAL 12 12 CLUSTER B.
 FT METAL 14 14 CLUSTER B.
 FT METAL 18 18 CLUSTER B.
 FT METAL 20 20 CLUSTER B.
 FT METAL 22 23 CLUSTER B.
 FT METAL 25 25 CLUSTER B.
 FT METAL 26 26 CLUSTER B.
 FT METAL 32 32 CLUSTER A.
 FT METAL 33 33 CLUSTER A.
 FT METAL 35 35 CLUSTER A.
 FT METAL 36 36 CLUSTER A.
 FT METAL 40 40 CLUSTER A.
 FT METAL 43 43 CLUSTER A.

FT	METAL	47	47	CLUSTER A.
FT	METAL	49	49	CLUSTER A.
FT	METAL	54	54	CLUSTER A.
FT	METAL	58	58	CLUSTER A.
FT	METAL	59	59	CLUSTER A.
SQ	SEQUENCE	60 AA;	6033 MW;	9EA1E70PBES9BAEE CRC64;

Query Match	Best Local Similarity	88.0%;	Score 66;	DB 1;	Length 60;
Matches 5;	Conservative 21;	Pred. No. 26;	Mismatches 0;	Indels 0;	Gaps 0;

Qy	1	CXKXXXXXXNXXXXXXXXXXXXXXX 26
Db	25	CTSCRKCPCPCPCDSCSKACSGCVCK 50

RESULT	8		
MTB_SALSA	STANDARD;	PRT;	60 AA.
ID	MTB_SALSA		
AC	P52720;		
DT	01-OCT-1996 (Rel. 34, Created)		
DT	01-OCT-1996 (Rel. 34, Last sequence update)		
DT	01-NOV-1997 (Rel. 35, Last annotation update)		
DE	METALLOTHIONEIN B (MT-B).		
GN	MTB.		
OS	Salmo salar (Atlantic salmon).		
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;		
CC	Actinopterygii; Neopterygii; Teleostei; Euteleostei;		
CC	Protacanthopterygii; Salmoniformes; Salmonidae; Salmo.		
RN	[1]		
RP	SEQUENCE FROM N.A.		
RC	TISSUE=LIVER;		
RA	Kille P., Olsson P.E.;		
RL	Submitted (APR-1996) to the EMBL/GenBank/DDBJ databases.		
CC	-I- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE		
CC	RESIDUES THAT BIND VARIOUS HEAVY METALS (BY SIMILARITY).		
CC	-I- DOMAIN: CLASS I METALLOTHIONEINS CONTAIN 2 METAL-BINDING DOMAINS:		
CC	FOUR DIVALENT IONS ARE CHELATED WITHIN CLUSTER A OF THE ALPHA		
CC	DOMAIN AND ARE COORDINATED VIA CYSTEINYL THIOLATE BRIDGES TO 11		
CC	CYSTEINE LIGANDS. CLUSTER B, THE CORRESPONDING REGION WITHIN THE		
CC	BETA DOMAIN, CAN LIGATE THREE DIVALENT IONS TO 9 CYSTEINES.		
CC	-I- SIMILARITY: BELONGS TO FAMILY 1 IN METALLOTHIONEIN SUPERFAMILY.		
CC	-----		
CC	This SWISS-PROT entry is copyright. It is produced through a collaboration		
CC	between the Swiss Institute of Bioinformatics and the EMBL outstation -		
CC	the European Bioinformatics Institute. There are no restrictions on its		
CC	use by non-profit institutions as long as its content is in no way		
CC	modified and this statement is not removed. Usage by and for commercial		
CC	entities requires a license agreement (See http://www.isb-sib.ch/annouce/isb-		
CC	or send an email to license@isb-sib.ch).		
CC	-----		
DR	EMBL; X97275; CAA65930.1; -.		
DR	HSSP; P18055; IHRB.		
DR	INTERPRO; IPRO00006; -.		
DR	INTERPRO; IPRO03019; -.		
DR	PFAM; PF00131; metalthio; 1.		
DR	PRINTS; PR00860; MTVERTEBRATE.		
DR	PROSITE; PS00203; METALLOTHIONEIN_VRT; 1.		
KW	Metal-binding; Metal-thiolate cluster; Chelation.		
FT	DOMAIN	1	28
FT	DOMAIN	29	60
FT	METAL	4	4
FT	METAL	6	6
FT	METAL	12	12
FT	METAL	14	14
FT	METAL	18	18
FT	METAL	20	20
FT	METAL	23	23
FT	METAL	25	25
FT	METAL	28	28
FT	METAL	32	32
FT	METAL	33	33

```

FT METAL 35 35 CLUSTER A.
FT METAL 36 36 CLUSTER A.
FT METAL 40 40 CLUSTER A.
FT METAL 43 43 CLUSTER A.
FT METAL 47 47 CLUSTER A.
FT METAL 49 49 CLUSTER A.
FT METAL 54 54 CLUSTER A.
FT METAL 58 58 CLUSTER A.
FT METAL 59 59 CLUSTER A.
SQ SEQUENCE 60 AA: 5959 MW: 187A9D0FBEBD967 CRC64;

Query Match 88.0%; Score 66; DB 1; Length 60;
Best Local Similarity 19.2%; Pred. No. 26;
Matches 5; Conservative 21; Mismatches 0; Indels 0; Gaps 0.

OY 1 CAXXCXKXXXXXXXXXXKXXXXX 26
DB 25 CTSCKKSCPCPCPSGSKCAGSCVCK 50

RESULT 9
MT_AMBME STANDARD: PRT: 60 AA.
ID MT_AMBME
AC 042152;
DT 01-OCT-2000 (Rel. 40, Created)
DT 01-OCT-2000 (Rel. 40, Last sequence update)
DT 01-OCT-2000 (Rel. 40, Last annotation update)
DE METALLOTHIONEIN (MT).
GN MT-A.
OS Ambystoma mexicanum (Axolotl).
OC Amphibia; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Amphibia; Batrachia; Caudata; Salamandroidea; Ambystomatidae;
OC Ambystoma.
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=EMBRYO.
RA Saint-Jacques E., Guay J., Wittanen L., Huard V., Stewart G.,
RA Seguin C.;
RT "Cloning of a complementary DNA encoding an Ambystoma mexicanum
RT metallothionein, AMMT-A, and expression of the gene during early
RT development.";
RL Submitted (JUN-1997) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE
CC RESIDUES THAT BIND VARIOUS HEAVY METALS.
CC -!- DOMAIN: CLASS 1 METALLOTHIONEINS CONTAIN 2 METAL-BINDING DOMAINS:
CC FOUR DIVALENT IONS ARE CHELATED WITHIN CLUSTER A OF THE ALPHA
CC DOMAIN AND ARE COORDINATED VIA CYSTEINYL THIOLATE BRIDGES TO 11
CC CYSTEINE LIGANDS. CLUSTER B, THE CORRESPONDING REGION WITHIN THE
CC BETA DOMAIN, CAN LIGATE THREE DIVALENT IONS TO 9 CYSTEINES.
CC -!- SIMILARITY: BELONGS TO FAMILY 1 IN METALLOTHIONEIN SUPERFAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AF008583; AAB71835.1; -.
DR HSSP; P04355; 2MRT.
DR INTERPRO; IPRO000006; -.
DR INTERPRO; IPRO03019; -.
DR PRAM; PF00131; metalthio; 1.
DR PRINTS; PR00860; MIVERTBRATE.
DR PROSITE; PS00203; METALLOTHIONEIN_VRT; 1.
KW Metal-binding; Metal-thiolate cluster; Chelation.
FT DOMAIN 1 28 BETA.
FT DOMAIN 29 60 CLUSTER B.
FT METAL 5 5 CLUSTER B.
FT METAL 11 11 CLUSTER B.

```

[illegible]

```

FT DOMAIN 1 28 BETA.
FT METAL 29 60 ALPHA.
CC METAL 4 4 CLUSTER B.
FT METAL 6 6 CLUSTER B.
FT METAL 12 12 CLUSTER B.
FT METAL 14 14 CLUSTER B.
FT METAL 18 18 CLUSTER B.
FT METAL 20 20 CLUSTER B.
FT METAL 23 23 CLUSTER B.
FT METAL 25 25 CLUSTER B.
FT METAL 28 28 CLUSTER B.
FT METAL 32 32 CLUSTER A.
FT METAL 33 33 CLUSTER A.
FT METAL 35 35 CLUSTER A.
FT METAL 36 36 CLUSTER A.
FT METAL 40 40 CLUSTER A.
FT METAL 43 43 CLUSTER A.
FT METAL 47 47 CLUSTER A.
FT METAL 49 49 CLUSTER A.
FT METAL 54 54 CLUSTER A.
FT METAL 58 58 CLUSTER A.
FT METAL 59 59 CLUSTER A.
SO SEQUENCE 60 AA; 5960 MW; E5223E7C9292BB700 CRC64;

Query Match 88.0%; Score 66; DB 1; Length 60;
Best Local Similarity 19.2%; Pred. No. 26;
Matches 5; Conservative 21; Mismatches 0; Indels 0; Gaps 0;

OY 1 CXXCXXXXXXCXXXXXXCXXXXX 26
Db 25 CTTCKKSCCSCCPGSCSKCASGCVCK 50

RESULT 11
MT_CARAU
ID MT_CARAU STANDARD; PRT; 60 AA.
AC P52723;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE METALLOTHIONEIN (MT).
GN MT.
OS Carassius auratus (Goldfish).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Ostariophysi;
OC Cypriniformes; Cyprinidae; Cyprininae; Carassius.
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE-BRAIN;
RA Kille P., Olsson P.E.;
RL Submitted (APR-1996) to the EMBL/GenBank/DBJ databases.
RN 121
RP SEQUENCE FROM N.A.
RC TISSUE-LIVER;
RX MEDLINE=95091751; PubMed=7999050;
RA Chan K.M.;
RT "PCR-cloning of goldfish and tilapia metallothionein complementary
RT DNAs."
RL Biochem. Biophys. Res. Commun. 205:368-374(1994).
CC -1- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE
CC RESIDUES THAT BIND VARIOUS HEAVY METALS (BY SIMILARITY).
CC -1- DOMAIN: CLASS I METALLOTHIONEINS CONTAIN 2 METAL-BINDING DOMAINS:
CC FOUR DIVALENT IONS ARE CHELATED WITHIN CLUSTER A OF THE ALPHA
CC DOMAIN AND ARE COORDINATED VIA CYSTEINYL THIOLATE BRIDGES TO 11
CC CYSTEINE LIGANDS. CLUSTER B, THE CORRESPONDING REGION WITHIN THE
CC BETA DOMAIN, CAN LIGATE THREE DIVALENT IONS TO 9 CYSTEINES.
CC -1- SIMILARITY: BELONGS TO FAMILY 1 IN METALLOTHIONEIN SUPERFAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation-
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way

```

```

CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: X97271; CAA65926.1; -.
DR EMBL: S75039; AAB32777.1; -.
DR HSSP: P18055; IMR.
DR INTERPRO: IPRO00006; -.
DR INTERPRO: IPRO03019; -.
DR PFAM: PF00131; metalthio; 1.
DR PRINTS: PRO0860; MYVERTEBRATE.
DR PROSITE: PS00203; METALLOTHIONEIN_VRT; 1.
KW Metal-binding; Metal-thiolate cluster; Chelation.
FT DOMAIN 1 28 BETA.
FT METAL 29 60 ALPHA.
FT METAL 4 4 CLUSTER B.
FT METAL 6 6 CLUSTER B.
FT METAL 12 12 CLUSTER B.
FT METAL 14 14 CLUSTER B.
FT METAL 18 18 CLUSTER B.
FT METAL 20 20 CLUSTER B.
FT METAL 23 23 CLUSTER B.
FT METAL 25 25 CLUSTER B.
FT METAL 28 28 CLUSTER B.
FT METAL 32 32 CLUSTER A.
FT METAL 33 33 CLUSTER A.
FT METAL 35 35 CLUSTER A.
FT METAL 36 36 CLUSTER A.
FT METAL 40 40 CLUSTER A.
FT METAL 43 43 CLUSTER A.
FT METAL 47 47 CLUSTER A.
FT METAL 49 49 CLUSTER A.
FT METAL 54 54 CLUSTER A.
FT METAL 58 58 CLUSTER A.
FT METAL 59 59 CLUSTER A.
FT CONFLICT 5 5 D -> E (IN REF. 2).
FT CONFLICT 34 34 S -> F (IN REF. 2).
FT CONFLICT 50 50 K -> N (IN REF. 2).
SO SEQUENCE 60 AA; 5932 MW; 54223F7D2D3BB701 CRC64;

Query Match 88.0%; Score 66; DB 1; Length 60;
Best Local Similarity 19.2%; Pred. No. 26;
Matches 5; Conservative 21; Mismatches 0; Indels 0; Gaps 0;

OY 1 CXXCXXXXXXCXXXXXXCXXXXX 26
Db 25 CTTCKKSCCSCCPGSCSKCASGCVCK 50

RESULT 12
MT_CHAAC
ID MT_CHAAC STANDARD; PRT; 60 AA.
AC P52724;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE METALLOTHIONEIN (MT).
GN MT.
OS Chaenoccephalus aceratus.
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Perciformes;
OC Notothenioidei; Channichthyidae; Chaenoccephalus.
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE-LIVER;
RA Scudiero R.;
RL Submitted (MAY-1996) to the EMBL/GenBank/DBJ databases.
CC -1- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE
CC RESIDUES THAT BIND VARIOUS HEAVY METALS (BY SIMILARITY).
CC -1- DOMAIN: CLASS I METALLOTHIONEINS CONTAIN 2 METAL-BINDING DOMAINS:
CC FOUR DIVALENT IONS ARE CHELATED WITHIN CLUSTER A OF THE ALPHA

```

CC DOMAIN AND ARE COORDINATED VIA CYSTEINYL THIOLATE BRIDGES TO 11
 CC CYSTEINE LIGANDS. CLUSTER B, THE CORRESPONDING REGION WITHIN THE
 CC BETA DOMAIN, CAN LIGATE THREE DIVALENT IONS TO 9 CYSTEINES.
 CC -1- SIMILARITY: BELONGS TO FAMILY 1 IN METALLOTHIONEIN SUPERFAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: 272483; CAA9564.1; -
 CC HSSP: P18055; 1MRB.
 CC INTERPRO: IPR000006; -
 CC INTERPRO: IPR003019; -
 CC PFAM: PF00131; metalchio.1.
 CC PRINTS: PRO0860; MVTERTERATE.
 CC PROSITE: PS00203; METALLOTHIONEIN_VRT.1.
 CC Metal-binding: Metal-thiolate cluster; Chelation.
 CC
 CC FT DOMAIN 1 28 ALPHA.
 CC FT METAL 29 60 CLUSTER B.
 CC FT METAL 4 6 CLUSTER B.
 CC FT METAL 6 6 CLUSTER B.
 CC FT METAL 12 12 CLUSTER B.
 CC FT METAL 14 14 CLUSTER B.
 CC FT METAL 18 18 CLUSTER B.
 CC FT METAL 20 20 CLUSTER B.
 CC FT METAL 23 23 CLUSTER B.
 CC FT METAL 25 25 CLUSTER B.
 CC FT METAL 28 28 CLUSTER B.
 CC FT METAL 32 32 CLUSTER A.
 CC FT METAL 33 33 CLUSTER A.
 CC FT METAL 35 35 CLUSTER A.
 CC FT METAL 36 36 CLUSTER A.
 CC FT METAL 40 40 CLUSTER A.
 CC FT METAL 43 43 CLUSTER A.
 CC FT METAL 47 47 CLUSTER A.
 CC FT METAL 49 49 CLUSTER A.
 CC FT METAL 54 54 CLUSTER A.
 CC FT METAL 58 58 CLUSTER A.
 CC FT METAL 59 59 CLUSTER A.
 CC SEQUENCE 60 AA: 6006 MW: EF61F4AD61B9124A CRC64;
 SQ
 Query Match 88.0%; Score 66; DB 1; Length 60;
 Best Local Similarity 19.2%; Pred. No. 26;
 Matches 5; Conservative 21; Mismatches 0; Indels 0; Gaps 0;
 QY 1 CXXCXXXXXCCCCXXXXXCCXCCX 26
 DB 25 CTSCKKSCPCPCPCGCKCASCVCCK 50
 RESULT 13
 MT_CYPCA STANDARD; PRT; 60 AA.
 AC 013269;
 DT 01-OCT-2000 (rel. 40, Created)
 DT 01-OCT-2000 (rel. 40, Last sequence update)
 DT 01-OCT-2000 (rel. 40, Last annotation update)
 DE METALLOTHIONEIN (MT).
 GN MT.
 OS Cyprinus carpio (Common carp).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Ostariophysi;
 OC Cypriniformes; Cyprinidae; Cyprininae; Cyprinus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Shiu K.M., Chan P.C., Wong W.Y.F., Chan K.M.;
 RT "Common carp metallothionein gene."
 RT Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.

CC -1- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE
 CC RESIDUES THAT BIND VARIOUS HEAVY METALS (BY SIMILARITY).
 CC -1- DOMAIN: CLASS I METALLOTHIONEINS CONTAIN 2 METAL-BINDING DOMAINS:
 CC FOUR DIVALENT IONS ARE CHELATED WITHIN CLUSTER A OF THE ALPHA
 CC DOMAIN AND ARE COORDINATED VIA CYSTEINYL THIOLATE BRIDGES TO 11
 CC CYSTEINE LIGANDS. CLUSTER B, THE CORRESPONDING REGION WITHIN THE
 CC BETA DOMAIN, CAN LIGATE THREE DIVALENT IONS TO 9 CYSTEINES.
 CC -1- SIMILARITY: BELONGS TO FAMILY 1 IN METALLOTHIONEIN SUPERFAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: AF002161; AAB61577.1; -
 CC EMBL: AF002162; AAB61578.1; -
 CC EMBL: AF001983; AAB70467.1; -
 CC HSSP: P18055; 1MRB.
 CC INTERPRO: IPR000006; -
 CC INTERPRO: IPR003019; -
 CC PFAM: PF00131; metalchio.1.
 CC PRINTS: PRO0860; MVTERTERATE.
 CC PROSITE: PS00203; METALLOTHIONEIN_VRT.1.
 CC Metal-binding: Metal-thiolate cluster; Chelation.
 CC
 CC FT DOMAIN 1 28 ALPHA.
 CC FT METAL 29 60 CLUSTER B.
 CC FT METAL 4 4 CLUSTER B.
 CC FT METAL 6 6 CLUSTER B.
 CC FT METAL 12 12 CLUSTER B.
 CC FT METAL 14 14 CLUSTER B.
 CC FT METAL 18 18 CLUSTER B.
 CC FT METAL 20 20 CLUSTER B.
 CC FT METAL 23 23 CLUSTER B.
 CC FT METAL 25 25 CLUSTER B.
 CC FT METAL 28 28 CLUSTER B.
 CC FT METAL 32 32 CLUSTER A.
 CC FT METAL 33 33 CLUSTER A.
 CC FT METAL 35 35 CLUSTER A.
 CC FT METAL 36 36 CLUSTER A.
 CC FT METAL 40 40 CLUSTER A.
 CC FT METAL 43 43 CLUSTER A.
 CC FT METAL 47 47 CLUSTER A.
 CC FT METAL 49 49 CLUSTER A.
 CC FT METAL 54 54 CLUSTER A.
 CC FT METAL 58 58 CLUSTER A.
 CC FT METAL 59 59 CLUSTER A.
 CC SEQUENCE 60 AA: 5999 MW: 54389F53F1BB701 CRC64;
 SQ
 Query Match 88.0%; Score 66; DB 1; Length 60;
 Best Local Similarity 19.2%; Pred. No. 26;
 Matches 5; Conservative 21; Mismatches 0; Indels 0; Gaps 0;
 QY 1 CXXCXXXXXCCCCXXXXXCCXCCX 26
 DB 25 CTSCKKSCPCPCPCGCKCASCVCCK 50
 RESULT 14
 MT_DICIA STANDARD; PRT; 60 AA.
 AC 09PTG9;
 DT 01-OCT-2000 (rel. 40, Created)
 DT 01-OCT-2000 (rel. 40, Last sequence update)
 DT 01-OCT-2000 (rel. 40, Last annotation update)
 DE METALLOTHIONEIN (MT).
 GN MT.
 OS Dicentrarchus labrax (European sea bass).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;


```

OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Percoidae;
OC Moronidae; Dicentrarchus.
RN [1]
RP SEQUENCE FROM N.A.
RA Leclerc G.M., Leclerc G.J.;
RT "Molecular cloning of metallothionein genes from two important
RT aquaculture fish species: the European seabass (Dicentrarchus labrax)
RL Submitted (OCT-1999) to the EMBL/Genbank/DBJ databases.
CC -1- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE
CC RESIDUES THAT BIND VARIOUS HEAVY METALS (BY SIMILARITY).
CC -1- DOMAIN: CLASS I METALLOTHIONEINS CONTAIN 2 METAL-BINDING DOMAINS:
CC FOUR DIVALENT IONS ARE CHELATED WITHIN CLUSTER A OF THE ALPHA
CC CYSTEINE LIGANDS. CLUSTER B, THE CORRESPONDING REGION WITHIN THE
CC BETA DOMAIN, CAN LIGATE THREE DIVALENT IONS TO 9 CYSTEINES.
CC -1- SIMILARITY: BELONGS TO FAMILY 1 IN METALLOTHIONEIN SUPERFAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: AF199014; AAF2235.1; -
DR PROSITE: PS00203; METALLOTHIONEIN_VRT; 1.
KM Metal-binding; Metal-thiolate cluster; Chelation.
FT DOMAIN 1 28 BETA.
FT METAL 29 60
FT METAL 4 4 ALPHA.
FT METAL 6 6 CLUSTER B.
FT METAL 12 12 CLUSTER B.
FT METAL 14 14 CLUSTER B.
FT METAL 16 18 CLUSTER B.
FT METAL 20 20 CLUSTER B.
FT METAL 23 23 CLUSTER B.
FT METAL 25 25 CLUSTER B.
FT METAL 28 28 CLUSTER B.
FT METAL 32 32 CLUSTER A.
FT METAL 33 33 CLUSTER A.
FT METAL 35 35 CLUSTER A.
FT METAL 36 36 CLUSTER A.
FT METAL 40 40 CLUSTER A.
FT METAL 43 43 CLUSTER A.
FT METAL 47 47 CLUSTER A.
FT METAL 49 49 CLUSTER A.
FT METAL 54 54 CLUSTER A.
FT METAL 58 58 CLUSTER A.
FT METAL 59 59 CLUSTER A.
SQ SEQUENCE 60 AA; 6006 MW; 5962A4EC21BC471B CRC64;

Query Match 88.0%; Score 66; DB 1; Length 60;
Best Local Similarity 19.2%; Pred. No. 26;
Matches 5; Conservative 21; Mismatches 0; Indels 0; Gaps 0;

OY 1 CXXCXXXXXCCCCXXXXXCCXX 26
DB 25 CTTCKKSCCPCCPSCGCKKASCVCCK 50

RESULT 15
MT_ESOLU
ID MT_ESOLU STANDARD; PRT; 60 AA.
AC P25127;
DT 01-MAY-1992 (Rel. 22, Created)
DT 01-MAY-1992 (Rel. 22, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE METALLOTHIONEIN (MT).
GN MT.
OS Esox lucius (Northern pike).

```

```

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Esociformes; Esocidae; Esoc.
RN [1]
RP SEQUENCE FROM N.A.
RA TISSUE=LIVER;
RX MEDLINE-91316146; PubMed-1859844;
RA Kille P., Stephens P.E., Kay J.;
RT "Elucidation of cDNA sequences for metallothioneins from rainbow
RT trout, stone loach and pike liver using the polymerase chain
RT reaction.";
RL Biochim. Biophys. Acta 1089:407-410(1991).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE-94032489; PubMed-8218416;
RA Kille P., Kay J., Sweeney G.E.;
RT "Analysis of regulatory elements flanking metallothionein genes in
RT Cd-tolerant fish (pike and stone loach).";
RL Biochim. Biophys. Acta 1216:55-64(1993).
CC -1- FUNCTION: METALLOTHIONEINS HAVE A HIGH CONTENT OF CYSTEINE
CC RESIDUES THAT BIND VARIOUS HEAVY METALS (BY SIMILARITY).
CC -1- DOMAIN: CLASS I METALLOTHIONEINS CONTAIN 2 METAL-BINDING DOMAINS:
CC FOUR DIVALENT IONS ARE CHELATED WITHIN CLUSTER A OF THE ALPHA
CC DOMAIN AND ARE COORDINATED VIA CYSTEINYL THIOLATE BRIDGES TO 11
CC CYSTEINE LIGANDS. CLUSTER B, THE CORRESPONDING REGION WITHIN THE
CC BETA DOMAIN, CAN LIGATE THREE DIVALENT IONS TO 9 CYSTEINES.
CC -1- SIMILARITY: BELONGS TO FAMILY 1 IN METALLOTHIONEIN SUPERFAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL: X59392; CAA42035.1; -
DR EMBL: X70042; CAA49636.1; -
DR PIR: S17175; S17175.
DR PIR: S15503; S15503.
DR PIR: S38334; S38334.
DR PIR: S31723; S31723.
DR HSSP: P18055; IMRB.
DR INTERPRO: IPR000006; -.
DR PFAM: PF00131; metalthio; 1.
DR PRINTS: PR00860; MTVERTERATE.
DR PROSITE: PS00203; METALLOTHIONEIN_VRT; 1.
KM Metal-binding; Metal-thiolate cluster; Chelation.
FT DOMAIN 1 28 BETA.
FT METAL 29 60
FT METAL 4 4 CLUSTER B.
FT METAL 6 6 CLUSTER B.
FT METAL 12 12 CLUSTER B.
FT METAL 14 14 CLUSTER B.
FT METAL 18 18 CLUSTER B.
FT METAL 20 20 CLUSTER B.
FT METAL 23 23 CLUSTER B.
FT METAL 25 25 CLUSTER B.
FT METAL 28 28 CLUSTER B.
FT METAL 32 32 CLUSTER A.
FT METAL 33 33 CLUSTER A.
FT METAL 35 35 CLUSTER A.
FT METAL 36 36 CLUSTER A.
FT METAL 40 40 CLUSTER A.
FT METAL 43 43 CLUSTER A.
FT METAL 47 47 CLUSTER A.
FT METAL 49 49 CLUSTER A.
FT METAL 54 54 CLUSTER A.
FT METAL 58 58 CLUSTER A.
FT METAL 59 59 CLUSTER A.
SQ SEQUENCE 60 AA; 5979 MW; 9E41E43F95F8D97E CRC64;

```

